



**RC FENCING**  
SINCE 2021



[www.rcengineeringni.com](http://www.rcengineeringni.com)



[info@rcengineeringni.com](mailto:info@rcengineeringni.com)



028 796 27 188



# RCF-3M

# Description

RCF-3M mesh fencing offers customers, specifiers and end users a cost-effective solution which is attractive in appearance, long-lasting, and ideally suited for boundary and low risk security applications. RCF-3M is available in heights up to 2.4m high.

RCF-3M fence panels are constructed using galvanised, horizontal and vertical wires, 5mm in diameter and resistance welded to the intersections to form a 200mm x 50mm mesh pattern. Additional fence rigidity is provided by pressing 'V' beams into the fence panel, running horizontally through the mesh. These offer additional strength and impact resistance. RCF-3M is also available with a range of complimentary single and double leaf gates.

RCF-3M can be specified in any industry standard RAL colour.

## **Benefits of RCF-3M:**

- Cost effective mesh fencing solution
- Simple and quick to erect
- Ideal replacement for chain link fencing
- Protection of low security risk premises and assets

## **Application for RCF-3M fencing systems include:**

- Retail Parks
- Schools
- Colleges
- Universities
- Wildlife Parks

RCF-3M is supplied in 3m panels, which reduces the erection time. This creates lower installation costs and increases the probability of contract award, especially in competitive procurement tenders.

Description

# Details

FENCE HEIGHT	PANEL HEIGHT/WIDTH (MM)	NUMBER OF 'V' BEAMS	O/A LENGTH OF POST	FIXINGS PER INTERMEDIATE	FIXINGS PER POST
1.2	1230 x 3000	2	1800	4	8
1.7	1730 x 3000	3	2400	5	10
2.0	2030 x 3000	4	2700	6	12
2.4	2430 x 3000	4	3100	7	14

